

114

AUSTRALIAN JOURNAL
OF
BIOLOGICAL SCIENCES

VOLUME 21

MELBOURNE
1968

AUSTRALIAN JOURNAL OF BIOLOGICAL SCIENCES

A medium for the publication of results of original scientific research in the biological sciences with special emphasis on the experimental phases.

Published by the Commonwealth Scientific and Industrial Research Organization.
Issued six times a year, \$A4 per annum.

BOARD OF STANDARDS

The Board of Standards for this Journal is appointed by the Commonwealth Scientific and Industrial Research Organization and the Australian Academy of Science and consists of Professor J. S. Turner (Chairman), Mr. A. E. Scott (Editor-in-Chief), Professor C. W. Emmens, Dr. S. D. Hamann, Professor C. B. O. Mohr, and Professor G. H. Satchell.

ADVISORY COMMITTEE

Acceptance of papers for this Journal is in the hands of an Advisory Committee appointed by the Board of Standards and consisting of Mr. A. E. Scott (Editor-in-Chief and Chairman), Professor C. W. Emmens, Dr. L. T. Evans, Professor F. J. R. Hird, Professor G. H. Satchell, and Professor J. S. Turner.



All enquiries and manuscripts should be forwarded to:

The Editor-in-Chief,
Editorial and Publications Section, CSIRO,
Sixth Floor,
372 Albert Street,
East Melbourne, Victoria 3002

CONTENTS

NUMBER 1, FEBRUARY 1968

| | PAGE |
|--|------|
| Cation effects on phosphate absorption from solution by <i>Trifolium subterraneum</i> . By D. G. Edwards | 1 |
| Isolation of dimethyl diselenide and other volatile selenium compounds from <i>Astragalus racemosus</i> (Pursh.). By Christine S. Evans, C. J. Asher, and C. M. Johnson | 13 |
| Supply of oxygen during hatching of the nematode <i>Meloidogyne javanica</i> under non-competitive conditions. By N. Collis-George and H. R. Wallace .. | 21 |
| A mathematical model for the cardiac action potential based on slow inactivation of sodium conductance. By L. Munk and E. P. George | 37 |
| Effect of selection and linkage on inbreeding. By T. P. Bogyo and Shirley W. Ting | 45 |
| Interaction of selection and recombination. By M. A. B. Deakin | 55 |
| Variation of scutellar bristles in <i>Drosophila</i> . XIII. Effects of <i>scute</i> alleles. By D. H. Miller and A. S. Fraser | 61 |
| Variation of scutellar bristles in <i>Drosophila</i> . XIV. Effects of temperature and crowding. By A. S. Fraser, L. Erway, and W. Brenton | 75 |
| Absorption of volatile fatty acids from the reticulo-rumen and abomasum of sheep. By V. J. Williams, T. R. Hutchings, and K. A. Archer | 89 |
| A mechanism of resistance to organophosphorus acaricides in a strain of the cattle tick <i>Boophilus microplus</i> . By C. A. Schuntner, W. J. Roulston, and H. J. Schnitzerling | 97 |
| Metabolic studies of testicular, epididymal, and ejaculated spermatozoa of the ram. By R. N. Murdoch and I. G. White | 111 |
| Activity of enzymes in the endometrium, caruncles, and uterine rinsings of progestogen-treated and naturally cycling ewes. By R. N. Murdoch and I. G. White | 123 |
| Effect of osmotic pressure and temperature gradients on cold shock in ram and bull spermatozoa. By P. J. Quinn, S. Salamon, and I. G. White | 133 |
| Action of dinitrophenyl amino acids on skeletal muscle proteins. II. Absorption of bis-dinitrophenyl-lysine by light and heavy meromyosins and by light meromyosin fraction I. By R. W. Burley, W. J. H. Jackson, and Jean P. Robertson | 141 |

Short Communications

| | PAGE |
|---|------|
| Determination of uni- and trifoliolate leaf form in fenugreek. By A. H. G. C. Rijven | 155 |
| Bud dormancy in <i>Populus</i> . By D. M. Paton and R. R. Willing | 157 |
| Chromosome pairing in a nulli-5B di-5D wheat haploid. By E. P. Baker and R. A. McIntosh | 161 |
| Genetic polymorphism in a subdivided population. By M. A. B. Deakin | 165 |
| Fecundity of <i>Aphelenchus avenae</i> Bastian. By J. M. Fisher | 169 |
| A resistance mechanism in organophosphorus-resistant strains of sheep blowfly (<i>Lucilia cuprina</i>). By C. A. Schuntner and W. J. Roulston | 173 |
| Volatile fatty acids in the caecum of the sheep. By G. J. Faichney | 177 |
| Fertility in rabbits inseminated with diluted or washed spermatozoa. By R. G. Wales and T. O'Shea | 181 |
| Corrigendum | 183 |

NUMBER 2, APRIL 1968

| | |
|--|-----|
| The electrochemical state of cells of broad bean roots. I. Investigations of elongating roots of young seedlings. By B. I. H. Scott, Heather Gulline, and C. K. Pallaghy | 185 |
| Short-term growth response to growth regulators in roots of <i>Zea mays</i> . By D. E. Bottrill and J. B. Hanson | 201 |
| Gibberellin and the growth of peach and apricot fruits. By D. I. Jackson | 209 |
| Effects of high temperature and genotype on the growth of excised roots of <i>Arabidopsis thaliana</i> . By T. F. Neales | 217 |
| Effect of light upon the translocation of phosphorus by seedlings of <i>Hordeum vulgare</i> (L.). By R. N. Crossett | 225 |
| Effects of light and temperature during plant growth on subsequent leaf CO ₂ assimilation rates under standard conditions. By J. D. Hesketh | 235 |
| Ionic relations of cells of <i>Chara australis</i> . XI. Chloride fluxes. By H. G. L. Coster and A. B. Hope | 243 |
| Ultrastructure and differentiation in <i>Chara</i> sp. III. Formation of the antheridium. By J. D. Pickett-Heaps | 255 |
| Electrophoretic patterns of oxidoreductases and other proteins as criteria in fungal taxonomy. By B. G. Clare, N. T. Flentje, and M. R. Atkinson | 275 |
| Genetic heterogeneity among the founders of laboratory populations of <i>Drosophila melanogaster</i> . III. Sternopleural chaetae. By P. A. Parsons | 297 |

NUMBER 2, APRIL 1968 (*Continued*)

| | PAGE |
|--|------|
| An association between serum amylase phenotype and tick infestation in cattle. By G. C. Ashton, G. W. Seifert, and J. Francis | 303 |
| Inheritance of resistance to organophosphorus acaricides in the cattle tick, <i>Boophilus microplus</i> . By B. F. Stone | 309 |
| Brain cholinesterase activity and its inheritance in cattle tick (<i>Boophilus microplus</i>) strains resistant and susceptible to organophosphorus acaricides. By B. F. Stone | 321 |
| Induction of deciduomata in normal and histamine-depleted rats. By K. W. Humphrey | 331 |
| Haematological changes induced in laboratory rats by larval <i>Amplichaecum robertsi</i> Sprent & Mines. By C. Dobson | 341 |
| Deep freezing of ram semen: recovery of spermatozoa after pelleting and comparison with other methods of freezing. By S. Salamon | 351 |
| Studies in depilation. II. Structural changes in the wool follicle during bacterial wool loosening ("sweating"). By J. R. Yates | 361 |
| The chemical composition of wool. V. The epicuticle. By N. L. R. King and J. H. Bradbury | 375 |
| Studies on reduced wool. VIII. <i>N</i> -Acetyl peptides isolated from a major component. By I. J. O'Donnell and E. O. P. Thompson | 385 |

NUMBER 3, JUNE 1968

| | |
|--|-----|
| Nature and genetic control of the vernalization response in <i>Phalaris tuberosa</i> L. By J. R. McWilliam | 395 |
| Effects of L-ethionine on adenosine triphosphate levels, respiration, and salt accumulation in carrot xylem tissue. By M. R. Atkinson and G. M. Polya | 409 |
| A crystalline inclusion in the chloroplasts of the outer hypodermal cells of the banana fruit. By Joan M. Bain | 421 |
| The relationship between bean yellow mosaic virus and pea mosaic virus. By R. H. Taylor and P. R. Smith | 429 |
| Effect of temperature on growth characteristics of <i>Bacillus stearothermophilus</i> . By B. Bubela | 439 |
| Cytology of "pink-eye" of sheep, including a reference to trachoma of man, by employing acridine orange and iodine stains, and isolation of <i>Mycoplasma</i> agents from infected sheep eyes. By P. G. Surman | 447 |
| Effects of the pyrrolizidine alkaloid heliotrine on cell division and chromosome breakage in cultures of leucocytes from the marsupial <i>Potorous tridactylus</i> . By Y. A. E. Bick and W. D. Jackson | 469 |

NUMBER 3, JUNE 1968 (*Continued*)

| | PAGE |
|--|------|
| Studies of the distribution and source of enzymes in mammalian semen. By R. N. Murdoch and I. G. White | 483 |
| The fallopian tube of the sheep. V. Secretion from the ampulla and isthmus. By B. J. Restall and R. G. Wales | 491 |
| The skin of the sheep: a comparison of body regions. By A. G. Lyne and D. E. Hollis | 499 |
| <i>trans</i> -Aconitate utilization by sheep. By G. S. Kennedy | 529 |
| Studies on ovalbumin. III. Denaturation of ovalbumin and S-ovalbumin. By M. B. Smith and Joan F. Back | 539 |
| Studies on ovalbumin. IV. Trypsin digestion and the cystine peptides of ovalbumin and S-ovalbumin. By M. B. Smith and Joan F. Back | 549 |
| Studies on tetanus toxin and toxoid. II. Isolation and characterization of the tetanus toxin and toxoid. By D. J. Dawson and C. M. Mauritzen | 559 |

Short Communications

| | |
|---|-----|
| An effect of kinetin on the translocation of ^{14}C -labelled photosynthate in citrus. By P. E. Kriedemann | 569 |
| Effect of temperature, gibberellic acid, and indolylacetic acid on root and shoot growth of cuttings from <i>Podocarpus lawrencei</i> Hook f. By A. G. Khan | 573 |
| Movement of bacteria in moist, particulate systems. By D. M. Griffin and Gwen Quail | 579 |
| Effect of stimuli associated with the male on litter size in mice. By R. G. Beilharz | 583 |
| Transferrin polymorphism in the Australian marsupial mouse <i>Sminthopsis crassicaudata</i> (Gould). By R. M. Hope and G. K. Godfrey | 587 |
| Methionyl sequences in low-sulphur proteins of wool. By R. Hosken, B. A. Moss, I. J. O'Donnell, and E. O. P. Thompson | 593 |

NUMBER 4, AUGUST 1968

| | |
|--|-----|
| Synthesis of starch in detached ears of wheat. By C. F. Jenner | 597 |
| Photoperiodic and temperature control of flower initiation in the late pea cultivar Greenfeast. By D. M. Paton | 609 |
| Effect of phosphorus and zinc levels in the substrate on ^{65}Zn distribution in subterranean clover and flax. By C. R. Millikan, B. C. Hanger, and E. N. Bjarnason | 619 |
| Genetic, environmental, and physiological control of leaf orientation in <i>Plantago lanceolata</i> . By H. N. Barber, D. M. Halsall, and J. H. Palmer | 641 |

NUMBER 4, AUGUST 1968 (*Continued*)

| | PAGE |
|--|------|
| Sowbane mosaic virus infecting <i>Chenopodium trigonon</i> in Queensland. By D. S. Teakle | 649 |
| Ultrastructure and differentiation in <i>Chara (fibrosa)</i> . IV. Spermatogenesis. By J. D. Pickett-Heaps | 655 |
| Ionic relations as a function of metabolism in <i>Aerobacter aerogenes</i> . By H. G. L. Coster, E. P. George, and P. L. Rogers | 691 |
| Directional selection in simulated populations of self-pollinated plants. By F. A. Bliss and C. E. Gates | 705 |
| Studies on the scutellar bristles of <i>Drosophila melanogaster</i> . I. Basic variability, some temperature and culture effects, and responses to short-term selection in the Oregon-RC strain. By B. L. Sheldon | 721 |
| Temperature tolerance of cultured amphibian cells in relation to latitudinal distribution of donors. By Elsie M. Stephenson | 741 |
| Acetylcholinesterase insensitivity in the biarra strain of the cattle tick <i>Boophilus microplus</i> , as a cause of resistance to organophosphorus and carbamate acaricides. By W. J. Roulston, H. J. Schnitzerling, and C. A. Schuntner | 759 |
| Viability and morphology of ram spermatozoa in the ligated epididymis. By S. Salamon | 769 |
| The transport of cations by ram and bull spermatozoa. By P. J. Quinn and I. G. White | 781 |
| The excretion of methylmalonic and formiminoglutamic acids during the induction and remission of vitamin B ₁₂ deficiency in sheep. By J. M. Gawthorne | 789 |
| Studies in depilation. IV. Structural changes in the wool follicle during depilation with alkali and alkaline reducing systems. By J. R. Yates | 795 |
| Reduced wool fibres, their preparation and alkylation. By J. A. Maclaren, D. J. Kilpatrick, and A. Kirkpatrick | 805 |
| Immunological studies on wool proteins. By R. Frater | 815 |
| The effects of salts on the stability of the collagen helix under acidic conditions. By Anne F. Woodlock and B. S. Harrap | 821 |

Short Communications

| | |
|---|-----|
| Genetically controlled electrophoretic variants of a storage protein in <i>Pisum sativum</i> . By M. J. Hynes | 827 |
| The deep freezing of rabbit spermatozoa. By R. G. Wales and T. O'Shea | 831 |
| Corrigenda | 834 |

NUMBER 5, OCTOBER 1968

| | PAGE |
|--|------|
| Physiology of growth in the wheat plant. IV. Effects of day length and light-energy level. By R. F. Williams and C. N. Williams | 835 |
| Leaf growth and development in the young tobacco plant. By Rae V. Hannam | 855 |
| Comparison of potassium and sodium uptake by barley roots at high and low salt status. By M. G. Pitman, A. C. Courtice, and Barbara Lee | 871 |
| The bolting and flowering of <i>Chondrilla juncea</i> L. as influenced by temperature and photoperiod. By O. H. Caso and N. P. Kefford | 883 |
| Some photosynthetic characteristics of citrus leaves. By P. E. Kriedemann .. | 895 |
| Observations on gas exchange in the developing sultana berry. By P. E. Kriedemann | 907 |
| Acid metabolism in <i>Atriplex</i> . II. Oxalate synthesis during acid metabolism in the dark. By C. B. Osmond and P. N. Avadhani | 917 |
| Purification and properties of broad bean wilt virus. By R. H. Taylor, P. R. Smith, C. Reinganum, and A. J. Gibbs | 929 |
| The longevity of conidia of <i>Sclerotinia fruticola</i> (Wint.) Rehm under field conditions. By P. T. Jenkins | 937 |
| Male sterility in mice homozygous for the t^{w2} allele. By P. G. Johnston .. | 947 |
| Failure of sheep \times goat hybrid fetuses to survive in goats treated with sheep's blood. By G. Alexander and the late D. Williams | 953 |
| The influence of the female genital tract on the metabolism of rabbit spermatozoa. I. Direct effect of tubal and uterine fluids, bicarbonate, and other factors. By R. N. Murdoch and I. G. White | 961 |
| The influence of the female genital tract on the metabolism of rabbit spermatozoa. II. Effect of storage with glucose, lactate, bicarbonate, and female genital tract fluids. By R. N. Murdoch and I. G. White | 973 |
| Effects of freezing the skin and plucking the fibres in sheep, with special reference to pigmentation. By A. G. Lyne and D. E. Hollis | 981 |
| Sweat gland and hair follicle measurements as indicators of skin type in cattle. By D. McEwan Jenkinson and T. Nay | 1001 |
| Comparative studies of lipid metabolism in Zebu and British cattle in a tropical environment. I. Plasma lipid levels of grazing cattle. By J. C. O'Kelly | 1013 |
| Comparative studies of lipid metabolism in Zebu and British cattle in a tropical environment. II. Blood lipid levels of cattle on different diets. By J. C. O'Kelly | 1025 |

NUMBER 5, OCTOBER 1968 (*Continued*)

| | PAGE |
|---|------|
| Developmental changes in the late larva of <i>Calliphora stygia</i> . I. Haemolymph. By Judith F. Kinnear, Marjory-D. Martin, J. A. Thomson, and G. J. Neufeld | 1033 |
| Acid phosphatase activity in the digestive system of the desert locust <i>Schistocerca gregaria</i> (Forskål). By S. N. H. Naqvi, S. H. Ashrafi, and M. A. H. Qadri | 1047 |
| The characterization by gel electrophoresis of the proteins extracted by dilute alkali from wheat flour. By A. C. Jennings | 1053 |
| <i>Short Communications</i> | |
| The site of phosphorus accumulation in maize roots. By R. N. Crossett .. | 1063 |
| Cytoplasmic ion exchange during rest and excitation in <i>Chara australis</i> . By H. G. L. Coster, J. C. Syriatowicz, and L. N. Vorobiev | 1069 |
| Volatile fatty acids produced by a sheep fed pure cellulose as sole carbohydrate in its diet. By R. A. Weller, F. V. Gray, and A. F. Pilgrim | 1075 |
| The fractionation of the nitrogen compounds of wheat flour on Sephadex columns. By H. P. C. Gallus and A. C. Jennings | 1077 |

NUMBER 6, DECEMBER 1968

| | |
|---|------|
| Inflorescence initiation in <i>Lolium temulentum</i> L. XII. An autoradiographic study of evocation in the shoot apex. By R. B. Knox and L. T. Evans .. | 1083 |
| Proportional reduction in shoot growth of grapevines with root systems maintained at constant relative volumes by repeated pruning. By M. S. Buttrose and M. G. Mullins | 1095 |
| Gibberellin and growth in stone fruits: induction of parthenocarp in plum. By D. I. Jackson | 1103 |
| Inhibition of protein synthesis and cation uptake in beetroot tissue by cycloheximide and cryptopleurine. By G. M. Polya | 1107 |
| Ion absorption in <i>Atriplex</i> leaf tissue. I. Absorption by mesophyll cells. By C. B. Osmond | 1119 |
| Distribution of soluble proteins and enzymes during early development of <i>Pisum sativum</i> . By A. K. Mills and R. K. Crowden | 1131 |
| Occurrence and host range of <i>Ascochyta phaseolorum</i> in Queensland. By J. L. Alcorn | 1143 |
| Saprophytic survival of <i>Ophiobolus graminis</i> on various hosts. By S. C. Chambers and N. T. Flentje | 1153 |

NUMBER 6, DECEMBER 1968 (*Continued*)

| | PAGE |
|---|------|
| Selection in reference to biological groups. II. Consequences of selection in groups of one size when evaluated in groups of a different size. By B. Griffing | 1163 |
| Selection in reference to biological groups. III. Generalized results of individual and group selection in terms of parent-offspring covariances. By B. Griffing | 1171 |
| Relative fitness of a third chromosome inversion in <i>Drosophila melanogaster</i> . By R. F. Nassar | 1179 |
| Effectiveness of regular cycles of intermittent artificial selection for a quantitative character in <i>Drosophila melanogaster</i> . By K. A. Rathie and J. S. F. Barker | 1187 |
| Sex and selection for a quantitative character in <i>Drosophila</i> . I. Single-sex selection. By R. Frankham | 1215 |
| Sex and selection for a quantitative character in <i>Drosophila</i> . II. The sex dimorphism. By R. Frankham | 1225 |
| The effects of oestrogens and anti-oestrogens on ovum transport in the laboratory mouse. By K. W. Humphrey and L. Martin | 1239 |
| Studies in depilation. VII. Structural changes in the wool follicle during depilation with acid and enzyme systems. By J. R. Yates | 1249 |
| Influence of protein digestion on plasma amino acid levels in sheep. By J. P. Hogan, R. H. Weston, and J. R. Lindsay | 1263 |
| Reduction of heliotrine by a rumen microorganism. By G. R. Russell and R. M. Smith | 1277 |
| Linked induction of glycosidases in <i>Stachybotrys atra</i> . By M. A. Jermyn | 1291 |

Short Communications

| | |
|--|------|
| Relation between low-temperature breakdown and the volatiles given off by individual apples. By R. B. H. Wills and K. J. Scott | 1307 |
| Purification of potato virus X and preparation of infectious ribonucleic acid by degradation with lithium chloride. By R. I. B. Francki and G. D. McLean | 1311 |
| Ionic and osmotic effects on cell volume and oxygen consumption of rat bone marrow cells. By R. M. Gesinski, J. H. Morrison, and J. R. Toepfer | 1319 |
| The effect of reduction of the disulphide bond on the fluorescence of high-sulphur wool proteins. By G. M. Bhatnagar and L. C. Gruen | 1325 |
| Pyrrolid-2-one-5-carboxylic acid as an <i>N</i> -terminal group of the low-sulphur proteins of wool. By I. J. O'Donnell | 1327 |
| Index to Volume 21 | 1331 |